

Checklist #1c

ICE Checklist #1c:	Access of AV	Fistula* or Graft for Initiation of Dialysis
Certification Number:		
Observation 1: Shift #	Staff Type	Isolation Y□ N□ Visible From Nursing Station Y□ N□
Observation 2: Shift #		
Hand hygiene		
Obs 1: Met □ Not Met □ Obs 2: Met □ Not Met □		
Assemble supplies for patien Obs 1: Met □ Not Met □	t at dialysis chair (n	o common tray/cart at station)
Obs 2: Met Not Met Obs 2: Met Not Met		
	ith soan and water	or antibactorial scrub
Wash skin over access site with soap and water or antibacterial scrub Exception: Patient washed own access site after entering facility as verified by ICE observation or interview		
Obs 1: Met □ Not Met □		
Obs 2: Met □ Not Met □		
Locate/palpate cannulation sites; sites not touched again after skin antisepsis (at step 7) without repeating skin		
antisepsis		
Obs 1: Met Not Met Obs 3: Met Not Met		
Obs 2: Met Not Met		
Hand hygiene		
Obs 1: Met □ Not Met □ Obs 2: Met □ Not Met □		
	 	
Don clean gloves; if not alrea Obs 1: Met □ Not Met □	dy wearing, don gov	wn and impermeable mask/eye protection or face shield
Obs 2: Met Not Met Obs 2: Met Not Met		
Scrub skin over cannulation sites with antiseptic; allow antiseptic to dry before cannulating; do not touch sites again after skin antisepsis without repeating skin antisepsis		
Obs 1: Met Not Met	repeating skin unitis	CP313
Obs 2: Met □ Not Met □		
Insert cannulation needles; ta	ape in place; initiate	e treatment; remove gloves
Obs 1: Met □ Not Met □		
Obs 2 Met □ Not Met □		
Hand hygiene		
Obs 1: Met Not Met		
Obs 2: Met Not Met Observation 1 notes:		
Objet valion 1 notes.		
Observation 2 notes:		

*Checklist not intended for observation of buttonhole cannulation technique

