



Cerner Q&A Session

Kathy Lee Bishop, PT, DPT, CCS, FNAP Guru Patel



Chat Function

HOW TO ASK QUESTIONS

TAKE

To ask a question or make a comment open the chat box



Set the TO: field to **Everyone** so that we can all see your question

Try the chat function now by sending a short greeting to the rest of the group



eart AHRQ's Initiative To Increase Use of Cardiac Rehabilitation

Today's Presenters



Kathy Lee Bishop, PT, DPT, CCS, FNAP

eart

TAKE

Board-Certified Cardiovascular and Pulmonary Clinical Specialist Program Manager, Emory Saint Joseph's Hospital Cardiac Rehabilitation Program



Guru Patel

Director, Clinical Informatics Office of Quality & Risk Emory Healthcare

AHRQ's Initiative To Increase Use of Cardiac Rehabilitation

Commonly Asked Question Categories



General Process Questions



Diagnostic Codes: identifying the correct diagnoses and screening for inappropriate patients



Embedding AR into Order Sets



Engagement, Buy-in and Training getting physicians to not only refer, but to promote CR



More Process Questions



neart

TAKE

Reports: methods to run reports from Cerner







Audience Question



Question: In the chat box, tell us one useful insight you will take away from today's Q&A session.



TAKEheart Resources

Module 5 Building and Implementing a Successful Automatic Referral

- Reviewing the important relationship between automatic referral and care coordination.
- Exploring the important factors to think through when designing the EMR specifications for automatic referral to cardiac rehabilitation.
- Creating a testing plan for the newly designed automatic referral system:
 - Defining the testing process
 - Creating success criteria
 - Allowing for adjustments and refinements
 - Preparing for implementation

Module 7 Troubleshooting Your Automatic Referral System

- This module builds upon Module 5 which discussed how to build an automatic referral (AR) order set. Expert speakers will cover areas such as how to test the AR order set, prepare for go-live, and developing a data and monitoring plan.
- Topics covered in this module include:
 - Automatic referral testing

eart

• Staff training

TAKE

- o Roll-out and reinforcement of automatic referral
- o Evaluation and improvement of automatic referral
- Extending and spreading automatic referral use

Help us help you!

Please answer the survey questions as you leave the event today

AHRQ's Initiative To Increase Use of Cardiac Rehabilitation



Screenshots of Commonly Asked Questions

TAKE Wheart AHRQ's Initiative To Increase Use of Cardiac Rehabilitation

Alert at Discharge

For certain ICD-10 and SNOMED CT codes, when a Card rehab referral order is not present at discharge



TAKE

eart

Order Set for CPOE

When a provider wants to order Cardiac Rehab Referral during patient stay

	1	00	Ф	٢		Component	Status	Dose	Details	
C	Cardiac Rehab Referral (Initiated Pending)									
	∠ Consults									
	 Cardiac Rehab is indicated for the following diagnoses: Coronary Artery Bypass Graft (CABG) Percutaneous Coronary Intervention (PCI, or PTCA) ST elevation Myocardial Infarction (STEMI) Non-ST elevation Myocardial Infarction (NSTEMI) Heart Transplant Valve Replacement (Surgical or Percutaneous, including TAVR) Valve Repair (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) Stable Angina Stable, Chronic Congestive Heart Failure with systolic dysfunction (NOT FOR HOSPITALIZED PATIENTS) Other cardiac diagnoses may be covered by non-Medicare insurers 									
	Cardiac Rehab Referral									
F	1			20		Cardiac Rehab Contraindicated				

Cardiac Rehab Referral Order Process

Once a provider selects the referral order, they have an option to complete the rehab form



AHRQ's Initiative To Increase Use of Cardiac Rehabilitation

TAKE

eart

Cardiac Rehab Referral Form For Provider

Provider fills out the form to create referral order

TAKE

heart

Cardiac Rehab Referral Primary Disgnosis during recent hospitalization or within the past 12 months Convertigence of the colonization of the co	12/09/2021 U IS12 EST Cardiac Rehab Referral Primary Diagnosis during recent hospitalization or within the past 12 months					By:							
Cardiac Rehab Referral Cardiac Rehab Referral Phary Disposit Gui (200) Reparting State Chronic Congestive Heart Jaure as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Concernite option only if all of the following texture as a Primary Disposit Phare texture as a Primary Disposite Concernite option only if all of the following textures as a Primary Disposite Phare texture as a	Cardiac Rehab Referral Primary Diagnosis during recent hospitalization or within the past 12 months					By:							
Primary Diagnosis during recent hospitalization or within the past 12 months Concerny Markey Diparts (Darit (CAR6)) The most bioscription (PTCR) The most biosc	Primary Diagnosis during recent hospitalization or within the past 12 months												
Primary Diagnosis during recent hospitalization or within the past 12 months Convery Mere Speake Diardin CMB() Convery Mere Speake Diardin CMB() Conversion Diardin CMB() Conve	Primary Diagnosis during recent hospitalization or within the past 12 months												
Conception by Byeas Garding Stable Chronic Congestive Heart Failure as a Primary Diagnosis Choose this option only if all of the following Medicare Relationaresement Criteria are met: Patient bar of Device Stable Chronic Congestive Heart Failure as a Primary Diagnosis Choose this option only if all of the following Medicare Relationaresement Criteria are met: Patient bar of Device Stable Chronic Congestive Heart Failure as a Primary Diagnosis Patient bar of Device Stable Chronic Congestive Heart Failure Bart of Device Stable Chronic Congestive Heart Failure Devices The Device Stable Device Stable Chronic Congestive Heart Failure Devices The Device Stable Device St													
Correct/Augustation Myocardial Infarction (STEMI) Correct/Correction Mitri Correct/Correct													
Correctives of carety intervention (PC). ePT(A) STE break model infanction (ISTEM) Correct Transplant Correct Corport free free devices provide the device of carety intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Valve Replacement (Surgical or Percutaneous, including TAVR) Correct Transplant Correct Corport free free devices provide the device of carety intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Valve Replacement (Surgical or Percu	C Coronary Artery Bypass Graft (CABG)												
C 5T Elevators Myocardial Infarction (ISTMI) C Most Elevators Myocardial Infarction (ISTMI) C Mathematical Myocardi		Regarding Stable Chronic	Congestive	e Heart Fi	ailure as a Primary Diagnosis								
Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replacement (Surgical or Percutaneous, including TAVR) Offerent insures vary in their defaults webs 2840, or proceeding terms and the proceeding terms and the proceeding terms and the proceeding terms and terms		Choose this option only if all of the following Medicare Reimbursement Criteria are met:											
International Control of Con													
Vare Hegdschere (Euglischer Preclamander, Landong LAWH) V	O Heart transplant			talization or	procedure within the last six weeks								
				being on op	timal heart failure therapy for at least 6 weeks								
Consider Under Congense Inder Pade (NOT POIN RUSHIDUED PAIR (ISI) Please select corresponding ICD-10 Code Coronary Artery Bypass Graft (CABG) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PEI or PTCA) Valve Replacement (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) Valve Replacement (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PEI or PTCA) Valve Replacement (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) NOTE: You may be contacted later by cardiac relate staff to prive deginase codes related to conducts that led to the advected later by cardiac relate staff to prive deginase codes related to conducts that led to the advected later by cardiac relate staff to prive deginase codes related to conducts that led to the advected later by cardiac relate staff to prive deginase codes related to conducts that led to the advected later by cardiac relate staff to prive deginase codes related to conducts that led to the advected later by cardiac relate staff to prive deginase codes related to conducts that led to the advected later by cardiac relate staff to prive deginase codes related to conduct staff to prive deginase codes related to conduct staff to prive relate	Stable Angina (Different insurers vary in their definition of stable angina. You may be contacted later by cardiac rehab staff to provide additional details)	NVHA symptom class	Most rece	nt FF	Does the natient have a VAD?								
Please select corresponding ICD-10 Code Coronary Artery Bypass Graft (CABG) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replat (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) ST elevation Myocardial Infarction (STEMI) Stable Angina Different Insurers vary in their definition of argins pectoria Infarction (INSTEMI) Different insurers vary in their definition of stable angin apectoria Infarction (INSTEMI) Heart Transplant Time of the above diagnoses apply please enter other Time diagnose codes gelts, with other loren of argins pectoria Infarction (INSTEMI) If none of the above diagnoses paphy please enter other Time diagnose codes gelts, with other loren of argins pectoria Infarction (INSTEMI) If none of the above diagnoses paphy please enter other Time Americaneous of CABG gelts, analogous gelts, with other loren of argins pectoria Infarction (Int isolated diastolic heart for any appectoria Infarction (Intercolore) ICABG gelts, analogous gelts, with other loren of argins pectoria Infarction (Intercolore) ICABG gelts, mankdogous gelts, with other loren of argins pectoria Infarction (Intercolore) ICABG gelts, mankdogous gelts, with other loren of argins pectoria Infarction (Intercolore) ICABG gelts, mankdogous gelts, with other loren of argins pectoria Infarction (Intercolore) ICABG gelts, mankdogous gelts, with other loren of argins pectoria Infarction (Intercolore) I				21									
Coronary Artery Bypass Graft (CABG) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replate (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) ST elevation Myocardial Infarction (STEMI) Valve Replate (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) Non-ST elevation Myocardial Infarction (INSTEMI) Different Insurers vary in their definition of stable angin percisi signification (STEMI) Heart Transplant To mee of the above diagnoses apply please enter other Primary Diagnosis Plus the Primary ICD-10 Code here Primary Diagnosis Plus the Primary ICD-10 Code here Code graft, with other forms of angina percisi (CAB graft, with other forms of angina pectoin (CAB graft, with other forms of angina pectoin (CAB graft,		×		19									
Coronary Artery Bypass Graft (CABG) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replate (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) ST elevation Myocardial Infarction (STEMI) Valve Replate (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) Non-ST elevation Myocardial Infarction (INSTEMI) Different Insurers vary in their definition of stable angin percisi signification (STEMI) Heart Transplant To mee of the above diagnoses apply please enter other Primary Diagnosis Plus the Primary ICD-10 Code here Primary Diagnosis Plus the Primary ICD-10 Code here Code graft, with other forms of angina percisi (CAB graft, with other forms of angina pectoin (CAB graft, with other forms of angina pectoin (CAB graft,]											
Coronary Artery Bypass Graft (CABG) Valve Replacement (Surgical or Percutaneous, including TAVR) Percutaneous Coronary Intervention (PCI or PTCA) Valve Replate (Surgical or Percutaneous, including Valvotomy or Valvuloplasty) INTE: You may be contacted later by cardiac rehiab staff to produce diagnose codes related to conditions that led to the wall ST elevation Myocardial Infarction (ISTEMI) Stable Angina Different insurers vary in their definition of stable angina perclosi (S129: Angina													
ST elevation Myocardial Infarction (STEMI) Stable Angina U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (angina equivalent, angina of effort, coronay slow flow syndrome, sterocardia) U20.8. Other forms of argins pectoris (CABG grafts, sudologous etery grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, sudologous atery grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, sudologous grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, nucleopous grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, nucleopous grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, nucleopous grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, nucleopous grafts, with other forms of argins pectoris U25.708. Atherocacleonis of CABG grafts, nucleopous grafts, with other forms of argins pectoris U25.708. Atherocacleonis	coronary Artery bypass diarc (caudy	ncluding TAVR)	×										
Image: Constraint of the second se		g Valvotomy or Valvuloplasty)	~										
 Non-ST elevation Myocardial Infarction (IISTEMI) 20.8. Dhen forms of angina pectoris (angina equivalent, angina of effort, coronary slow flow syndrome, stencoardia) 20.9. Angina pectoris unspecified 21.18. Atherosclerois of ABS grafts unspecified, with other forms of angina pectoris 25.708. Atherosclerois of ABS grafts unspecified, with other forms of angina pectoris 25.708. Atherosclerois of ABS grafts unspecified, with other forms of angina pectoris 25.708. Atherosclerois of ABS grafts unspecified, with other forms of angina pectoris 25.708. Atherosclerois of ABS grafts unspecified, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts unspecified, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts unspecified angina pectoris 25.708. Atherosclerois of CABS grafts unspecified angina pectoris 25.708. Atherosclerois of CABS grafts, analogous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts, analogous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts, analogous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts, nonaclogous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts, nonaclogous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts to manologous atery grafts, with unspecified angina pectoris 25.708. Atherosclerois of CABS grafts to manologous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts to manologous atery grafts, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts to manphande heat, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts to manphande heat, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts to manphande heat, with other forms of angina pectoris 25.708. Atherosclerois of CABS grafts to transpharted heat, with other forms of	ST elevation Myocardial Infarction (STEMI) Stable Angina				Different incurers very in their definition of stable	angi							
Image: Non-ST elevation Myocardial Infarction (INSTEMI) Image: Non-ST elevation Myocardial Infarction (INSTEMI) Image: Non-ST elevation Myocardial Infarction (INSTEMI) Image: Non-ST elevation (INSTEMI) Image: Non-ST elevation (Instempedicing Infarction Infarction				NOTE:	may be contacted later by cardiac rehab staff to p								
Non-ST elevation Myocardial Infarction (IKSTEMI) 125.118. Atherocalceotic head disease of native coronay atery, with other forms of angina pectoris ATERNES) Heart Transplant 125.718. Atherocalceotic head disease of native coronay atery, with other forms of angina pectoris To active this concept ater at the concept ater at the concept ater at the concept ater attraction (IKSTEMI) ATERNES) Heart Transplant 125.718. Atherocalceotic of CABG grafts unspecified, with other forms of angina pectoris To act this concept ater attraction (INSTEMI) To act this concept ater at the concent ater at the concept ater at the concept ater atter ater at the concept ater atter at the concept atter at the concept atter at the concept ater atter at the concept atter at the concept atter at the concept atter at the concept ater at the concept atter at the concent atter at the concept atter at the concept atter at	120.8: Other forms of angina pectoris (angina equivalent, angina o	of effort, coronary slow flow syndrome, steno	cardia)		additional details.								
Heart Transplant 125 708. Atherocelerosis of CABG grafts unspecified, with unspecified angina pectorsi IOTE: failure (not acute heart failure), and heart failure) Heart Transplant 125 708. Atherocelerosis of CABG grafts, unspecified, with unspecified angina pectorsi IOTE: failure (not acute heart failure), and heart failure) If none of the above diagnoses apply please enter other 125 728. Atherocelerosis of CABG grafts, unablogous stey grafts, with other forms of angina pectoris IES 728. Atherocelerosis of CABG grafts, unablogous stey grafts, with other forms of angina pectoris IES 728. Atherocelerosis of CABG grafts, audologous stey grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts, audologous grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts, nonaldologous grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts, nonaldologous grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts, nonaldologous grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts, nonaldologous grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts, nonaldologous grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts nonaldologue grafts, with other forms of angina pectoris IES 728. Atherocelerosis of CABG grafts nonaldologue grafts, with unspecified angina pectoris IES 728. Atherocelerosis of CABG grafts nonaldologue grafts, with other forms of angina pectoris IES 728. Atherocelerosis of CABG grafts nonaldologue grafts, with other forms of angina pectoris IES 728. Atherocelerosis of CABG gra	Non-ST elevation Myocardial Infarction (NSTEMI) 125.118: Atherosclerotic heart disease of native coronary artery, w	125.118: Atherosclerotic heart disease of native coronary artery, with other forms of angina pectoris											
Heart Transplant 125 709. Atherocelerosis of CABG grafts unspecified angina pectoris reduced systolic function (not isolated diastolic heart file) It none of the above diagnoses apply please enter other 125 789. Atherocelerosis of CABG grafts, audologous attery grafts, with other forms of angina pectoris reduced systolic function (not isolated diastolic heart file) If none of the above diagnoses apply please enter other 125 789. Atherocelerosis of CABG grafts, audologous attery grafts, with other forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, audologous attery grafts, with other forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, audologous attery grafts, with other forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, audologous attery grafts, with other forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologous grafty, setting attery of transplarted heat, with other forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologous grafty grafts, and the forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologous grafty, and the forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologous grafty, and the forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologous grafty, and the forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologous grafty, and the forms of angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologue grafty, and the form grafts, angertatic angina pectoris 125 789. Atherocelerosis of CABG grafts, nonaudologue grafty, and the forms of angina pectoris 125 789. Atherocelerosis of	125.708: Atherosclerosis of CABG grafts unspecified, with other for	orms of angina pectoris		NOTE									
If none of the above diagnoses apply please enter other Primary Diagnosis Plus the Primary ICD-10 Code here If S 718 - Mherosclerosis of CABG gafts, audologous ven grafts, with unspecified argina pectoris If none of the above diagnoses apply please enter other Primary Diagnosis Plus the Primary ICD-10 Code here If CABG gafts, audologous ven grafts, with unspecified argina pectoris If S 728 - Mherosclerosis of CABG gafts, audologous gafts, with other forms of argina pectoris If S 728 - Mherosclerosis of CABG gafts, nonadologous grafts, with unspecified argina pectoris If s 728 - Mherosclerosis of CABG gafts, nonadologous gafts, with unspecified argina pectoris If S 728 - Mherosclerosis of CABG gafts, nonadologous grafts, with unspecified argina pectoris IZ5 738 - Mherosclerosis of ICABG gafts, nonadologous gafts, with unspecified argina pectoris If S 758 - Mherosclerosis of ICABG gafts, nonadologous gafts, with unspecified argina pectoris IZ5 758 - Mherosclerosis of ICABG gafts or native coronay ately of transplanted heat, with unspecified argina pectoris If S 758 - Mherosclerosis of ICABG gafts or transplanted heat, with unspecified argina pectoris IZ5 758 - Mherosclerosis of ICABG gafts or transplanted heat, with unspecified argina pectoris If S 758 - Mherosclerosis of ICABG gafts or transplanted heat, with unspecified argina pectoris IZ5 758 - Mherosclerosis of ICABG gafts or transplanted heat, with unspecified argina pectoris If S 758 - Mherosclerosis or ICABG gafts or transplanted heat, with unspecified argina pectoris IZ5 758 - Mherosclerosis or ICABG gafts or transplanted heat, with unspeci	125.709: Atherosclerosis of CABG grafts unspecified, with unspeci	ified angina pectoris		inone.									
If none of the above diagnoses apply please enter other I25 728. Alterocolerosis of CABG gafts, audologous gafts, with other forms of angina pectoris If none of the above diagnoses apply please enter other Primary Diagnosis Plus the Primary ICD-10 Code here If Solar Alterocolerosis of CABG gafts, nonaudologous gafts, with other forms of angina pectoris I25 738. Alterocolerosis of CABG gafts, nonaudologous gafts, with other forms of angina pectoris IZ 5578. Alterocolerosis of CABG gafts or native coronay attery of transplanted heat, with other forms of angina pectoris IZ 5788. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5788. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5788. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5788. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5788. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5788. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5789. Alterocolerosis of CABG gafts of transplanted heat with other forms of angina pectoris IZ 5789. Alterocolerosis of CABG gafts of transplanted heat, with other forms of angina pectoris IZ 5789. Alterocolerosis of CABG gafts of transplanted heat with other forms of angina pectoris IZ 5789. Alterocolerosis of CABG gafts of transplanted heat with oth	125.719. Atherosclerosis of CABG grafts, autologous vein grafts, v	with unspecified angina pectoris											
125.758: Atherosclerosis of CABG grafts of transplanted heart, with other forms of angina pectoris 125.769: Atherosclerosis of CABG grafts of transplanted heart, with unspecified angina pectoris 125.789: Atherosclerosis of other CABG grafts, with Other forms of angina pectoris	125.723. Alherosclerosis of CABG grafts, autologous grafts, 125.738. Alherosclerosis of CABG grafts, nonsulologous grafts, with 125.738. Alherosclerosis of CABG grafts, nonsulologous grafts, with 125.738. Alherosclerosis of CABG grafts, nonsulologous grafts, with 125.738. Alherosclerosis of naive corronay altery of transplanted 125.738. Alherosclerosis of naive corronay altery of transplanted 125.738. Alherosclerosis of naive corronay altery of transplanted	with unspecified angina pectoris ith other forms of angina pectoris ith unspecified angina pectoris heart, with other forms of angina pectoris											
		h other forms of angina pectoris											
	125,768: Atheosclerosis of CABG grafts of transplanted heat, will 125,763: Atheosclerosis of CABG grafts of transplanted heat, will 125,783: Atheosclerosis of other CABG grafts, with other forms of	angina pectoris											



Cardiac Rehab Contraindications

For patients where rehab is contraindicated, provider must select one of the choices



AHRQ's Initiative To Increase Use of Cardiac Rehabilitation

TAKE

heart

Completed Communication Power Form

Cardiac Rehabilitation: Communication Power Form

 Pre Cardiac Reha Pre Cardiac Reha 		Pre Cardiac Rehab Patient Contact			Emory Healthcare's Cardiac Rehabilitation Program received an electronic order and has attempted to schedule a cardiac rehabilitation appointment.	
	Was the patient able to be contacted regarding scheduling Cardiac Rehab?	Unable to Contact Attempt 1 Unable to Contact Attempt 2	le to Contact Attempt 3 arview - TESTPATIENT, SALM	Check Yes and sign form when all attempts at contacting pat Cardiac Rehab have been completed. This will remove Cardiac		
	Cardiac Rehab Unable to Contact Attempt 1	Interview				
	Other Cardiac Rehab Unable to Contact Attempt 1	Pre Cardiac Rehab Requirements	 No stress test or physician follow-up required Stress test required by the physician before starting program, patient notified by our office, but patient has not scheduled stress test with physic Stress test required by the physician before starting program, patient notified by our office, but patient does not want to have a stress test Stress test completed and reviewed A follow up outpatient physician office wisit is required prior to starting cardiac rehabilitation Patient instructed to call E mory Cardiac Rehab Program at 679-643-7633 after stress test is complete 			
	Cardiac Rehab Unable to Contact Attempt 2					
	Other Cardiac Rehab Unable to Contact Attempt 2	Patient To Participate in Cardiac Rehab Program		•		
		Cardiac Rehab Appt Scheduled		Cardiac Rehab Apot Scheduled		



Completed Documentation in Cerner Note

Plan of Care Inpatient Results Review IView Medication List	+ Add	 Documents by Specialty Cardiology CARDS Cardiac Rehab 2/29/2016 17:49 Sloan, Stephanie - "Cardiac Rehab Referral" 2/29/2016 15:52 Sloan, Stephanie - "Cardiac Rehab Referral" 	Document Type: Document Date: Document Status: Document Title: Performed By: Verified By:	Cardiac Rehab Referral Form-Text 29 February 2016 17:49 Auth (Verified) Cardiac Rehab Referral Sloan, Stephanie on 29 February 2016 17:49 Sloan, Stephanie on 29 February 2016 17:49
Orders	🕈 Add		Encounter info:	2237798, EUH, Single Visit OP, 1/15/2016 -
Orders Summary				* Final Report *
Problems and Diagnoses				Cardiac Rehab Referral Entered On: 02/29/2016 17:49
Document Viewing	🕂 Add			Performed On: 02/29/2016 17:49 by Sloan, Stephanie
Clinical Notes			Cardiac Rehab Referra	
			Primary Diagnosis Req	uiring Cardiac Rehab: Coronary Artery Bypass Graft (CABG)
Allergies	+ Add			diac Rehab: Z95.1: Prior CABG Test Required: No, a stress test is not required before entering the program
Clinical Trials				n above resting heart rate rame : Less than 2 weeks
Correspondence			This physician verifies	that this patient should be enrolled in Phase 2 Cardiac Rehabilitation and co
Discern Advisor CathPCI	Form Bro		necessary. Once Phase	e 2 is complete, the patient may participate in a Phase 3 or 4 program if des



Workflow



If patient does not want CR at ESJH or EDH – 40 Regional CRP Documentation in Communication Power Form – External CRP Contact Information Given to Patient



Communication

Cardiac Rehabilitation: Communication Power Form

Per Cardiac Reha Pre Cardiac Reha		Pre Cardiac Rehab Patient Contact			Emory Healthcare's Cardiac Rehabilitation Program received an electronic order and has attempted to schedule a cardiac rehabilitation appointment.		
	Was the patient able to be contacted regarding scheduling Cardiac Rehab?	Unable to Contact Attempt 1 Unable to Contact Attempt 2	de to Contact Attempt 3 erview - TESTPATIENT, SALM	ION PINK	Check Yes and sign form when all attempts at contacting pa Cardiac Rehab have been completed. This will remove Cardia		
	Cardiac Rehab Unable to Contact Attempt 1		interview				
	Other Cardiac Rehab Unable to Contact Attempt 1	Pre Cardiac Rehab Requirements	No stress test or physician followup required Stress test required by the physician before starting program, patient notified by our office, but patient has not scheduled stress test. Stress test required by the physician before starting program, patient notified by our office, but patient does not want to have a stress test completed and reviewed A follow up outpatient physician office visit is required prior to starting cardiac rehabilitation Patient instructed to call Emory Cardiac Rehab Program at 678-043-7633 after stress test is complete				
	Cardiac Rehab Unable to Contact Attempt 2						
	Other Cardiac Rehab Unable to Contact Attempt 2	Patient To Participate in Cardiac Rehab Program		•			
		Cardiac Rehab Appt Scheduled		Cardiac Rehab			

